

Package: rminqa (via r-universe)

September 22, 2024

Type Package

Title Derivative-Free Optimization in R using C++

Version 0.2.2

Date 2022-12-08

Maintainer Yi Pan <ypan1988@gmail.com>

Description Perform derivative-free optimization algorithms in R using C++. A wrapper interface is provided to call C function of the 'bobyqa' implementation (See <<https://github.com/emmt/Algorithms/tree/master/bobyqa>>).

License GPL (>= 2)

Encoding UTF-8

SystemRequirements C++11

Imports Rcpp (>= 1.0.7)

LinkingTo Rcpp

RoxygenNote 7.1.2

Suggests minqa

NeedsCompilation yes

Author Sam Watson [aut], Yi Pan [aut, cre], Éric Thiébaud [aut], Mike Powell [aut]

Date/Publication 2023-01-08 09:20:02 UTC

Repository <https://ypan1988.r-universe.dev>

RemoteUrl <https://github.com/cran/rminqa>

RemoteRef HEAD

RemoteSha 0748a22fb1919f882374d1e78c6d50294c2c373d

Contents

bobyqa_rosen_x1	2
bobyqa_rosen_x1e	2
rminqa	3

bobyqa_rosen_x1 *Example 1a: Minimize Rosenbrock function using bobyqa*

Description

Minimize Rosenbrock function using bobyqa and expect a normal exit from bobyqa.

Usage

bobyqa_rosen_x1()

Value

No return value, called for side effects.

Examples

```
fr <- function(x) { ## Rosenbrock Banana function
  x1 <- x[1]
  x2 <- x[2]
  100 * (x2 - x1 * x1)^2 + (1 - x1)^2
}
(x1 <- minqa::bobyqa(c(1, 2), fr, lower = c(0, 0), upper = c(4, 4)))
## => optimum at c(1, 1) with fval = 0
str(x1) # see that the error code and msg are returned

## corresponding C++ implementation:
bobyqa_rosen_x1()
```

bobyqa_rosen_x1e *Example 1b: Minimize Rosenbrock function using bobyqa*

Description

Minimize Rosenbrock function using bobyqa and expect a normal exit from bobyqa.

Usage

bobyqa_rosen_x1e()

Value

No return value, called for side effects.

Examples

```
fr <- function(x) { ## Rosenbrock Banana function
  x1 <- x[1]
  x2 <- x[2]
  100 * (x2 - x1 * x1)^2 + (1 - x1)^2
}
# check the error exits
# too many iterations
x1e <- minqa::bobyqa(c(1, 2), fr, lower = c(0, 0), upper = c(4, 4), control = list(maxfun=50))
str(x1e)

## corresponding C++ implementation:
bobyqa_rosen_x1e()
```

rminqa

rminqa

Description

Perform derivative-free optimization algorithms in R using C++. A wrapper interface is provided to call C function of the bobyqa implementation.

Author(s)

Yi Pan, Samuel Watson

Index

bobyqa_rosen_x1, [2](#)

bobyqa_rosen_x1e, [2](#)

rminqa, [3](#)